

ABOVEGROUND SYSTEMS PARTS

Product Catalog 2020


NOTES:

[illegible]

CLEAN & CLEAR® FILTER SYSTEMS

REPLACEMENT PARTS FOR SYSTEMS MANUFACTURED 2009 AND BEYOND

Item	Part No.	Description	US List	Can. List
CLEAN & CLEAR FILTER SYSTEMS 2009 AND BEYOND				
1	98209800	High Flow Manual Relief Valve	37.80	45.42
2	190058Z	Pressure Gauge	CALL	CALL
3	178553	Lid, 50/100/125 sq. ft., Almond	176.41	211.97
3	178561	Lid, 75/150/175/200 sq. ft., Almond	164.47	197.63
4	59052900	Locking Ring Assy	108.25	130.07
5	87300400Z	Body O-Ring	CALL	CALL
6	59016200	Air Bleed Sock Kit	14.49	17.41
7	59053500	Center Core, 50 sq. ft.	128.31	154.18
7	59053600	Center Core, 75 sq. ft.	129.33	155.40
7	59053700	Center Core, 100/125 sq. ft.	150.76	181.15
7	59053800	Center Core, 150/175/200 sq. ft.	231.06	277.64
8	R173213	Cartridge Element, 50 sq. ft.	100.37	120.60
8	R173214	Cartridge Element, 75 sq. ft.	130.06	156.28
8	R173215	Cartridge Element, 100 sq. ft.	159.53	191.69
8	R178671	Cartridge Element, 125 sq. ft.	192.16	230.90
8	R173216	Cartridge Element, 150 sq. ft.	210.18	252.55
8	R178672	Cartridge Element, 175 sq. ft.	245.59	295.10
8	R173217	Cartridge Element, 200 sq. ft.	262.33	315.22
9	178562	Tank Bottom, 50/75, Almond	311.38	374.15
9	178563	Tank Bottom, 100/125/150/175/200, Almd	396.82	476.82
10	86202000	Drain Cap with O-Ring	20.99	25.22
11	51005000	O-Ring (Drain Cap)	7.63	9.17
12	39104500	C-Clip (Union Nut)	2.07	2.49
13	98212200	Union Nut	11.97	14.38
14	071426	O-Ring (Union)	1.77	2.13
15	155372	Pump to Filter Assembly (OptiFlo)	61.80	74.26
16	79304700	Body swivel 1.5 NPT	22.72	27.30
16	711006	Outlet Connector	7.41	8.90
17	51516100	Check Valve Kit	43.89	52.74
18	155333P	Systems Base	CALL	CALL
18	155333CP	Systems Base, CSA Pump	103.69	124.59
19	OptiFlo® Pump page 535			
20	710009	Base Hardware Kit	18.11	21.76
21	354571	O-Ring (Union)	3.84	4.61
22	170095	Air Relief Parts Kit	66.88	80.36
ACCESSORIES				
	155151	Replacement Hose Kit, Flex Hose, 6 ft. ¹	108.80	130.73
	155005	Replacement Hose Kit, Flex Hose, 12ft ¹	143.58	172.53




CALIFORNIA PROPOSITION 65 WARNING

⚠ WARNING: Cancer and Reproductive Harm.
⚠ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ ADVERTENCIA: Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov

¹ Replacement Hose Kits include two (2) hoses, four (4) hose adaptors and four (4) hose clamps.

CLEAN & CLEAR® FILTER SYSTEMS

REPLACEMENT PARTS FOR SYSTEMS MANUFACTURED PRIOR TO 2009



CALIFORNIA PROPOSITION 65 WARNING

⚠ WARNING: Cancer and Reproductive Harm.
⚠ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ ADVERTENCIA: Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov

² Used on filters manufactured after 3/98.

³ Used on filters manufactured before 11/98.


⁴ Used on filters manufactured after 11/98.

⁵ Used on filters manufactured after 1/01 with the Dynamo Pump.

Item	Part No.	Description	US List	Can. List
CLEAN & CLEAR FILTER SYSTEMS PRIOR TO 2009				
1	98209800	High Flow™ Manual Air Relief Valve (HFMARV)	37.80	45.42
2	190058Z	Gauge, pressure	CALL	CALL
3	178553	Lid 50, 100 sq. ft., almond	176.41	211.97
3	178561	Lid, 75/150/200 sq. ft., almond	164.47	197.63
4	59052900	Locking ring assy.	108.25	130.07
5	87300400Z	Body O-ring	CALL	CALL
6	59016200	Air bleed sock kit	14.49	17.41
7	59053500	Center core 50 sq. ft.	128.31	154.18
7	59053600	Center core 75 sq. ft.	129.33	155.40
7	59053700	Center core 100 sq. ft.	150.76	181.15
7	59053800	Center core 150/200 sq. ft.	231.06	277.64
8	R173213	Cartridge element 50 sq. ft.	100.37	120.60
8	R173214	Cartridge element 75 sq. ft.	130.06	156.28
8	R173215	Cartridge element 100 sq. ft.	159.53	191.69
8	R173216	Cartridge element 150 sq. ft.	210.18	252.55
8	R173217	Cartridge element 200 sq. ft.	262.33	315.22
9	178562	Bottom 50 sq. ft., almond	311.38	374.15
9	178554	Bottom 75 sq. ft., almond	309.46	371.85
9	178563	Bottom 100 sq. ft., almond	396.82	476.82
9	178560	Bottom 150/200 sq. ft., almond	387.42	465.52
10	51516200	Drain cap ³	27.10	32.56
10	86202000	Plug 1-1/2 in. drain, w/ O-ring ⁴	20.99	25.22
11	86300500	Drain cap gasket ³	5.64	6.78
11	51005000	O-ring, drain cap ⁴	7.63	9.17
12	39104500	Union nut "C" clip	2.07	2.49
13	98212200	Union nut	11.97	14.38
14	071426	O-ring, union	1.77	2.13
15	39107400	Fitting elbow pump connector ²	21.64	26.00
16	170037	Fitting elbow pump connector ²	32.19	38.68
17	51516100	Check valve kit	43.89	52.74
18	170058	Base assy.	60.24	72.38
19	79304700	Body swivel w/ 1-1/2 in. NPT internal threads	22.72	27.30
20	178541	Chlorinator base	CALL	CALL
20	98200700	Bolt	CALL	CALL
20	155109	T-nut	0.36	0.43
21	OptiFlo Pump page 535; Dynamo Pump Page 536			
22	175015	Pump/filter connector, Dynamo ⁵	141.90	170.51
22	170046	Pump/filter connector, OptiFlo	141.58	170.12
NOT SHOWN				
354571	O-Ring (Union)		3.84	4.61

PREDATOR™ II MINI-CELLULAR MEDIA FILTER SYSTEM

REPLACEMENT PARTS




Item	Part No.	Description	US List	Can. List
PREDATOR II FILTER SYSTEM				
1	R172224X	Air relief valve	6.29	7.56
2	R172213XT	Lid	27.96	33.60
3	510166	Hose adapter	2.08	2.50
4	59019800	Pump connector	92.86	111.58
5	071426	O-ring	1.77	2.13
6	R172223	O-ring	6.29	7.56
7	R172327	Cartridge	34.10	40.97
8	R172212X	Body	43.50	52.27
NOT SHOWN				
	R172214	Lock ring	19.32	23.21
	98105700	Base assy.	44.65	53.65

CALIFORNIA PROPOSITION 65 WARNING

⚠ WARNING: Cancer and Reproductive Harm.
⚠ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ ADVERTENCIA: Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov

PLM FILTER SYSTEMS

REPLACEMENT PARTS FOR SYSTEMS MANUFACTURED 2009 AND BEYOND



Note: System shown with
155333P Base and OptiFlo®
Pump

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer
et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov PR2017LA

Item	Part No.	Description	US List	Can. List
PLM FILTER SYSTEMS 2009 AND BEYOND				
1	15060-0000T	Pressure Gauge	47.86	57.51
2	25010-0200	Air Relief Valve Assembly	19.66	23.62
3	27001-0020S	Tank Shell Upper Half	327.75	393.82
4	27001-0054S	Posi-Lok Ring	218.84	262.96
5	27001-0061S	Body O-Ring	57.10	68.61
6	24800-0121	Air Bleed Assembly	19.00	22.83
7	27002-0100S	Filter Module - PLM100	290.93	349.58
7	27002-0150S	Filter Module - PLM150	431.88	518.95
8	27001-0009S	Tank Shell Lower Half	556.77	669.01
9	27001-0051	Safety Latch	15.40	18.50
10	27001-0022	1-1/2 in. NPT Plug	3.06	3.68
11	24900-0510	Adapter Fitting	29.75	35.75
12	27001-0130S	Spring Check Valve	23.75	28.54
13	U78-820P3	2 in. to 1-1/2 in. Pipe Reducer	14.08	16.92
14	155331P	Systems Base (ABG/ JWP)	214.36	257.57
14	155331CP	Systems Base, CSA (ABG/JWP)	220.81	265.33
14	155333P	Systems Base (OptiFlo)	103.70	124.61
14	155333CP	Systems Base, CSA (OptiFlo)	103.69	124.59
15	155403	Pump to Filter Hose Assembly (JWP)	53.46	64.24
15	155374	Pump to Filter Assembly (OptiFlo) ²	53.46	64.24
15	155765	Pump to Filter Assembly (OptiFlo) ³	44.65	53.65
16		Pump		
17	710009	Base Hardware Kit	18.11	21.76
18	354571	O-Ring, Union (Opti-Flo)	3.84	4.61
18	U9-226Z	O-Ring, Union (JWP)	CALL	CALL
NOT SHOWN				
	155151	Kit, Flex Hose, 6 ft. ¹	108.80	130.73
	155005	Kit, Flex Hose, 12 ft. ¹	143.58	172.53


¹ Replacement Hose Kits include two (2) hoses, four (4) hose adaptors and four (4) hose clamps.

² When replacement OptiFlo pump is used on base 155333P and 155333CP.

³ When replacement OptiFlo pump is used on base 155331P and 155331CP.

PLM FILTER SYSTEMS

REPLACEMENT PARTS FOR SYSTEMS MANUFACTURED PRIOR TO 2009




Item	Part No.	Description	US List	Can. List
PLM FILTER SYSTEMS PRIOR TO 2009				
1	PLM100	PLM100 Filter Tank Assembly	CALL	CALL
1	PLM150	PLM150 Filter Tank Assembly	CALL	CALL
1	PLD50	PLD50 Filter Tank Assembly	CALL	CALL
2	27001-0120	Union Half Assembly (JWP)	47.49	57.06
2	155765	Pump to Filter Assembly (OptiFlo)	44.65	53.65
3	U9-226Z	O-Ring	CALL	CALL
4	27001-0031	Platform Base	CALL	CALL
5	U78-820P	2 in. NPT x 1-1/2 in. NPT Reducer Bushing	14.10	16.94
NOT SHOWN				
	155151	Hose Assembly 1-1/2 in. x 6 ft. ('03 Models only)	108.80	130.73

CALIFORNIA PROPOSITION 65 WARNING

⚠ WARNING: Cancer and Reproductive Harm.
⚠ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ ADVERTENCIA: Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov

EASYSYSTEM™ FILTER SYSTEMS

REPLACEMENT PARTS



CALIFORNIA PROPOSITION 65 WARNING
⚠ WARNING: Cancer and Reproductive Harm.
⚠ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ ADVERTENCIA: Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov PR320174


Item	Part No.	Description	US List	Can. List
EASYSYSTEM FILTER SYSTEMS				
1	98209800	High Flow Manual Relief Valve	37.80	45.42
2	190058Z	Pressure Gauge	CALL	CALL
3	178561	Lid, Almond	164.47	197.63
4	59052900	Locking Ring Assy	108.25	130.07
5	87300400Z	Body O-Ring	CALL	CALL
6	178616	Compression Spring	7.11	8.54
7	190106Z	Air Bleeder	29.47	35.41
8	178626	Center Core Top, EC	20.08	24.13
9	U37-3/8P	Air Bleeder Tube, EC60	CALL	CALL
9	U37-3/8P	Air Bleeder Tube, EC90	CALL	CALL
10	178757	Cartridge Element, EC60	93.61	112.48
10	178656	Cartridge Element, EC90	191.16	229.70
11	178627	Center Core Bottom, EC	17.54	21.08
12	071422	O-Ring, Center Core	7.63	9.17
13	178562	Tank Bottom, EC60	311.38	374.15
13	178563	Tank Bottom, EC90	396.82	476.82
14	51516100	Check Valve Kit	43.89	52.74
15	39104500	C-Clip Union Nut	2.07	2.49
16	98212200	Union Nut	11.97	14.38
17	071426	O-Ring Union	1.77	2.13
18	86202000	Drain Cap with O-Ring	20.99	25.22
19	51005000	O-Ring Drain Cap	7.63	9.17
20	155372	Pump to Filter Assembly (OptiFlo) - comes with O-ring (354571)	61.80	74.26
21	354571	O-Ring Union	3.84	4.61
22	155333P	Systems Base	103.70	124.61
23	OptiFlo® Pump Page 535			
24	710009	Base Hardware Kit	18.11	21.76
25 ¹	196060	Element Retro Kit, EC60	150.47	180.80
25 ¹	196060	Element Retro Kit, EC90	150.47	180.80
NOT SHOWN				
	155151	Flex Hose Kit (6 ft.) ²	108.80	130.73
	155005	Flex Hose Kit (12 ft.) ²	143.58	172.53

¹ Item 25 includes items 6 through 12. Item 25 replaces the Center Core, Cartridge Element, and Air Bleeder Sock Kit on filters manufactured before 2014.

² Replacement Hose Kits include two (2) hoses, four (4) hose adapters and four (4) hose clamps.

PLD FILTER SYSTEMS

REPLACEMENT PARTS FOR SYSTEMS MANUFACTURED 2009 AND BEYOND



Note: System shown with 155333P Base and OptiFlo® Pump

CALIFORNIA PROPOSITION 65 WARNING

⚠ WARNING: Cancer and Reproductive Harm.
⚠ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ ADVERTENCIA: Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov

Item	Part No.	Description	US List	Can. List
PLD FILTER SYSTEMS 2009 AND BEYOND				
1	15060-0000T	Pressure Gauge	47.86	57.51
2	25010-0200	Air Relief Valve Assembly	19.66	23.62
3	27001-0020S	Tank Shell Upper Half	327.75	393.82
4	27001-0054S	Posi-Lok Ring	218.84	262.96
5	27001-0061S	Body O-Ring	57.10	68.61
6	24800-0120	Air Bleed Assembly	22.86	27.47
7	27002-0030S	Filter Module - PLD50	365.02	438.61
8	27001-0011	Flapper Valve	17.20	20.67
9	27001-0009S	Tank Shell Lower Half	556.77	669.01
10	27001-0051	Safety Latch	15.40	18.50
11	27001-0022	1-1/2 in. NPT Plug	3.06	3.68
12	24900-0510	Adapter Fitting	29.75	35.75
13	27001-0130S	Spring Check Valve	23.75	28.54
14	U78-820P3	2 in. to 1-1/2 in. Pipe Reducer	14.08	16.92
15	155331P	Systems Base (ABG/JWP)	214.36	257.57
15	155331CP	Systems Base, CSA (ABG/JWP)	220.81	265.33
15	155333P	Systems Base (OptiFlo)	103.70	124.61
15	155333CP	Systems Base, CSA (OptiFlo)	103.69	124.59
16	155403	Pump to Filter Hose Assembly (JWP)	53.46	64.24
16	155374	Pump to Filter Assembly (OptiFlo) ²	53.46	64.24
16	155765	Pump to Filter Assembly (OptiFlo) ³	44.65	53.65
17	OptiFlo® Pump Page 535			
18	710009	Base Hardware Kit	18.11	21.76
19	354571	O-Ring, Union	3.84	4.61
NOT SHOWN				
	155151	Kit, Flex Hose, 6 ft. ¹	108.80	130.73
	155005	Kit, Flex Hose, 12 ft. ¹	143.58	172.53

¹ Replacement Hose Kits include two (2) hoses, four (4) hose adapters and four (4) hose clamps.


² When replacement OptiFlo pump is used on base 155333P and 155333CP.

³ When replacement OptiFlo pump is used on base 155331P and 155331CP.

SAND DOLLAR® FILTER SYSTEMS

REPLACEMENT PARTS FOR SYSTEMS MANUFACTURED 2009 AND BEYOND

Item	Part No.	Description	US List	Can. List
SAND DOLLAR FILTER SYSTEMS 2009 AND BEYOND				
1	262506	Valve, 1-1/2 Inch, 6-Way	CALL	CALL
2	354588	Adaptor, NPT to Buttress	22.11	26.57
3	155709	Pump to Filter Assembly (Dynamo to SD35)	68.23	81.99
3	155710	Pump to Filter Assembly (Dynamo to SD40)	71.33	85.71
3	155711	Pump to Filter Assembly (Dynamo to SD60)	75.13	90.28
4	190059Z	Pressure Gauge	CALL	CALL
5	152165	Clamp Assembly	26.97	32.41
6	152229	Piping Assembly – SD35	135.18	162.43
6	152228	Piping Assembly – SD40	124.80	149.96
6	152227	Piping Assembly – SD60	145.09	174.34
7	150084	Lateral – SD 35 & SD 40	7.51	9.02
7	150085	Lateral – SD60	9.43	11.33
8	145339	Tank w/ Drain – SD35	308.18	370.31
8	145341	Tank w/ Drain – SD40	408.85	491.27
8	145343	Tank w/ Drain – SD60	566.06	680.18
9	154711Z	Sand Drain	CALL	CALL
10	154715	Gasket (Sand Drain)	6.25	7.51
11	154712Z	Drain Cap	CALL	CALL
12	155333P	Systems Base	103.70	124.61
12	155333CP	Systems Base, CSA Pump	103.69	124.59
13	Dynamo Pump Page 536			
14	710009	Base Hardware Kit	18.11	21.76
15	272541	O-Ring Valve Body	8.80	10.57
16	354571	O-Ring, Union	3.84	4.61
NOT SHOWN				
	155151	Kit, Flex Hose, 6 ft. ¹	108.80	130.73
	155005	Kit, Flex Hose, 12 ft. ¹	143.58	172.53



¹ Replacement Hose Kits include two (2) hoses, four (4) hose adaptors and four (4) hose clamps.



CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. 09/2007/3.1

SAND DOLLAR® FILTER SYSTEMS

REPLACEMENT PARTS FOR SYSTEMS MANUFACTURED PRIOR TO 2009



CALIFORNIA PROPOSITION 65 WARNING
 ⚠️ **WARNING:** Cancer and Reproductive Harm.
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov P/N 202714

Item	Part No.	Description	US List	Can. List
SAND DOLLAR FILTER SYSTEMS PRIOR TO 2009				
1	262506	6 Way Valve assy.	CALL	CALL
2	711006	Adapter - 1-1/2 in. hose, 2 req.	7.41	8.90
2	150046	Adapter w/ chlorinator conn., 2 req.	10.21	12.27
3	711004	Clamp-hose, 3 req.	6.55	7.87
4	154893	Hose 21-1/2 in. clear/grey spiral, SD 35	47.53	57.11
4	154894	Hose 26 in clear/grey spiral, SD 40	50.94	61.21

Item	Part No.	Description	US List	Can. List
4	154895	Hose 30 in. clear/grey spiral, SD 60	53.26	64.00
5	152165	Clamp assy. - aboveground system ¹	26.97	32.41
6	152168	Screw #M6 x 1 pan hd. Phillips s/s, 2 req. ¹	2.30	2.76
8	152167	Nut #M6 s/s, 2 req. ¹	1.65	1.98
9	Dynamo® Pump Page 536			
10	354265	Screw - 1/4 in.-18 hex washer hd., 2 req. ²	2.36	2.84
11	155109	Nut-T4 prong 5/16 in.-18, req. ²	0.36	0.43
12	152901	Base assy. ²	CALL	CALL
13	357161	Plug-drain 1/4 in. NPT wing ⁵	4.42	5.31
14	192115	O-ring-drain plug (1/16 in. x 1/2 in. i.d.) ⁵	1.39	1.67
15	150055	Drain Kit ⁴	56.39	67.76
16	154713	Gasket, sand drain ³	1.69	2.03
17	155007	Lateral - SD 35, 8 req.	7.90	9.49
17	152290	Lateral - SD 40 & 60, 8 req.	8.27	9.94
17	150084	Lateral - SD 35, SD 40 ⁴	7.51	9.02
17	150085	XLong Lateral SD 60 ⁴	9.43	11.33
18	155504	Assy.-SD 35 internal piping	54.42	65.39
18	155062	Assy.-SD 40 internal piping	52.24	62.77
18	155532	Assy.-SD 60 internal piping	131.82	158.39
19	145324	Tank w/ internals-SD 35 almond	478.99	575.55
19	145327	Tank w/ internals-SD 40 almond	483.46	580.93
19	145330	Tank w/ internals-SD 60 almond	647.32	777.82
20	272531	HiFlow 1-1/2 in. top valve assy.	177.17	212.89

NOT SHOWN

155151	Hose, 1-1/2 in. x 6 ft., filter/pump to pool	108.80	130.73
155005	Hose, 1-1/2 in. x 12 ft., filter/pump to pool	143.58	172.53
154712Z	1-1/2 in. drain cap	38.36	46.09
154715	O-Ring for 1-1/2 in. drain cap	6.25	7.51
155167	Kit Bag Systems	134.07	161.10

¹ P/N 152165 (clamp assy.) consists of 2 each of the following: P/N 152166 (clamp half), P/N 152167 (nut) and P/N 152168 (screw).

² P/N 152901 (aboveground base) consists of P/N 152900 (base) and 2 each of the following: P/N 155109 (T4 nuts) and P/N 354265 (screw).


³ P/N 192040 O-ring used on tanks manufactured after 1/1/03.

⁴ Manufactured after 10/04.

⁵ Manufactured before 10/04.

CRISTAL-FLO™ II FILTER SYSTEMS

REPLACEMENT PARTS FOR SYSTEMS MANUFACTURED 2009 AND BEYOND



CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov

PR32073A

Item	Product	Description	US List	Can. List
CRISTAL-FLO II FILTER SYSTEMS 2009 AND BEYOND				
1	262506	Valve, 1-1/2 Inch, 6-Way	CALL	CALL
2	354588	Adaptor, NPT to Butress	22.11	26.57
3	155726	Pump to Filter Assy (JWP/ABG to 16 in. Tank)	68.23	81.99
3	155727	Pump to Filter Assy (JWP/ABG to 19 in. Tank)	71.33	85.71
3	155728	Pump to Filter Assy (JWP/ABG to 22 in. Tank)	75.13	90.28
3	155709	Pump to Filter Assy (Dynamo/ OptiFlo to 16 in. Tank)	68.23	81.99
3	155710	Pump to Filter Assy (Dynamo/ OptiFlo to 19 in. Tank)	71.33	85.71
3	155711	Pump to Filter Assy (Dynamo/ OptiFlo to 22 in. Tank)	75.13	90.28
4	190059Z	Pressure Gauge	CALL	CALL
5	152165	Clamp Assembly	26.97	32.41
6	152229	Piping Assembly – 16 in. Tank	135.18	162.43
6	152228	Piping Assembly – 19 in. Tank	124.80	149.96
6	152227	Piping Assembly – 22 in. Tank	145.09	174.34
7	150084	Lateral – 16 in. & 19 in. Tanks	7.51	9.02
7	150085	Lateral – 22 in. Tanks	9.43	11.33
8	145364	Tank w/ Drain – 16 in. Tank	298.16	358.27
8	145365	Tank w/ Drain – 19 in. Tank	395.53	475.27
8	145366	Tank w/ Drain – 22 in. Tank	547.65	658.06
9	154711Z	Sand Drain	CALL	CALL
10	154715	Gasket (Sand Drain)	6.25	7.51
11	154712Z	Drain Cap	38.36	46.09
12	155333P	Systems Base	103.70	124.61
12	155333CP	Systems Base, CSA Pump	103.69	124.59
13		Pump		
14	710009	Base Hardware Kit	18.11	21.76
15	272541	O-Ring Valve Body	8.80	10.57
16	354571	O-Ring, Union	3.84	4.61
NOT SHOWN				
	155151	Kit, Flex Hose, 6 ft. ¹	108.80	130.73
	155005	Kit, Flex Hose, 12 ft. ¹	143.58	172.53
	155767	Conn Kit, Pump to Filter All sizes	37.24	44.75

¹ Replacement hose kits include (2) hoses, (4) hose adapters and (4) hose clamps.

ACCESSORIES

FOR ABOVEGROUND SYSTEMS

We recommend the use of GFCI with all filter systems.



AquaLuminator 98600000



3 ft. Twist Lock cord 155234




Quasar Non-return light for
aboveground pools
98605300



300 Series
Chlorinator/
Feeder R171016



Hard Plumbing
Adapter



Pressure Cleaner
Adapter



Fountain
Attachment



6 ft. Hose Kit 155151
12 ft. Hose Kit 155005



Sand Vac 542090

Part No.	Description	US List	Can. List
ACCESSORIES			
79137800	3 ft. Standard cord	70.91	85.21
155234	3 ft. cord with twist lock	86.40	103.82
155151	1-1/2 in. x 6 ft. hose kit, (to and from pool)	108.80	130.73
155005	1-1/2 in. x 12 ft. hose kit, (to and from pool)	143.58	172.53
150046	Hose adapter 1-1/2 in. NPT with Chlorinator connector	10.21	12.27
542413	Aboveground wall fitting 1-1/2 THD x 1-1/2 THD-white	CALL	CALL
542414	Aboveground wall fitting 1-1/2 THD x 1-1/2 socket-white	CALL	CALL
98600000	AquaLuminator aboveground light	CALL	CALL
98610002	AquaLuminator aboveground light (Canada CSA) certified	CALL	CALL
K50600	E-Z Vac Pool Cleaner	CALL	CALL
360100	Kreepy Krauly 'Lil Shark Pool Cleaner	CALL	CALL
360321	Kreepy Krauly 910 Robotic Pool Cleaner	CALL	CALL
542090	Sand Vac – empties a sand filter in 10 min for repair, refilling or removal	215.54	258.99
R171016	300 Series Off-Line Chlorinator Feeder	CALL	CALL
98605300	Quasar Non-Return Light	CALL	CALL
79203100	Adapter to connect AquaLuminator to cleaner	69.77	83.84
79100000Z	Fountain attachment, fits all AquaLuminator models	64.39	77.37
79202900	Hard plumbing adapter	10.03	12.05

CALIFORNIA PROPOSITION 65 WARNING
 ⚠ WARNING: Cancer and Reproductive Harm.
 ⚠ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠ ADVERTENCIA: Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.