






QTY	DESCRIPTION
1	STR, 8'0" 3 RIB SK-1085
2	STR, 8'0" 3 RIB RETURN
3	STR, 8'0" 3 RIB
1	STR, 6'0" 2 RIB
1	STR, 4'0" 1 RIB
2	STR, 2'0" 0 RIB
4	3'2" X 2'0"R CN 1 RIB
15	2PC NON-ADJUSTABLE, A-FRAME
3	HARDWARE, STRAIGHT 50 PACK
2	REBAR STAKE, 18" 30 PACK
1	HARDWARE, 50 PACK-EXTRA

Radius Panel Length: 12 ft 8 in
Straight Panel Length: 62 ft 0 in

NON DIVING
ATLAS SERIES

TITLE: 14-0 X 28-0 RECTANGLE 2FT RAD	DATE:	PERIMETER: 80'-8" LIN.FT.	WARNING SWIMMING POOLS ARE DANGEROUS WHEN USED IMPROPERLY. CONSULT YOUR DEALER FOR INFORMATION ON THE SAFE USE OF SWIMMING POOLS. IT IS THE RESPONSIBILITY OF TOWN OFFICIALS, BUILDERS AND HOME OWNERS TO FOLLOW ALL SAFETY RECOMMENDATIONS OF LOCAL ORDINANCES AND EQUIPMENT MANUFACTURERS. FOR DIVING & SLIDING EQUIPMENT REFER TO THE MANUFACTURER'S INSTRUCTIONS TO CORRECTLY POSITION & INSTALL EQUIPMENT.
DWG NUMBER: ATLAS2020-1058	REVISION: ****	SURFACE (ft²): 388.5664	
DEALER NAME: POOL SUPPLIES CANADA	SCALE: N.T.S.	LINER (ft²): 392.0000	
TAG NAME:	APPROX. WATER VOLUME: 36 200 LITRES	COVER (ft²): 480.0000 Standard	

	A	B	C	D
1	4'-5 3/4"	28'-0 3/4"	32'-3"	16'-6"
2	28'-0 3/4"	4'-5 3/4"	16'-6"	32'-3"
3	30'-3 1/4"	4'-5 3/4"	14'-1 3/4"	33'-1 1/4"
4	33'-1 1/4"	14'-1 3/4"	4'-5 3/4"	30'-3 1/4"
5	32'-3"	16'-6"	4'-5 3/4"	28'-0 3/4"
6	16'-6"	32'-3"	28'-0 3/4"	4'-5 3/4"
7	14'-1 3/4"	33'-1 1/4"	30'-3 1/4"	4'-5 3/4"
8	4'-5 3/4"	30'-3 1/4"	33'-1 1/4"	14'-1 3/4"
9	30'-7 1/4"	6'-4"	12'-2"	32'-3 3/4"
10	32'-3 3/4"	12'-2"	6'-4"	30'-7 1/4"
A	-	32'-0"	36'-8 1/2"	18'-0"

DIAGONALS		2 to 3	2'-10"
1 to 2	24'-0"	2 to 4	12'-2"
1 to 3	26'-1"	2 to 5	14'-0"
1 to 4	28'-7 3/4"	2 to 6	27'-9 1/2"
1 to 5	27'-9 1/2"	2 to 7	28'-7 3/4"
1 to 6	14'-0"	2 to 8	26'-1"
1 to 7	12'-2"	2 to 9	4'-5 3/4"
1 to 8	2'-10"	2 to 10	10'-2 1/2"
1 to 9	26'-3 3/4"	3 to 4	10'-0"
1 to 10	27'-10 1/4"	3 to 5	12'-2"
		3 to 6	28'-7 3/4"
		3 to 7	29'-8 3/4"
		3 to 8	28'-0"
		3 to 9	2'-0"
		3 to 10	8'-0"
		4 to 5	2'-10"
		4 to 6	26'-1"
		4 to 7	28'-0"
		4 to 8	29'-8 3/4"
		4 to 9	8'-0"
		4 to 10	2'-0"
		5 to 6	24'-0"
		5 to 7	26'-1"
		5 to 8	28'-7 3/4"
		5 to 9	10'-2 1/2"
		5 to 10	4'-5 3/4"
		6 to 7	2'-10"
		6 to 8	12'-2"
		6 to 9	27'-10 1/4"
		6 to 10	26'-3 3/4"
		7 to 8	10'-0"
		7 to 9	29'-1 1/2"
		7 to 10	28'-0 3/4"
		8 to 9	28'-0 3/4"
		8 to 10	29'-1 1/2"
		9 to 10	6'-0"

