SECTION I MATERIAL NAME / IDENTIFIER

OXY OUT/OXY CLEAR-NON- CHLORINE SHOCK WHMIS: D2B

Manufacturer's Name: CAPO INDUSTRIES LTD
Street Address: 1200 CORPORATE DRIVE
City: BURLINGTON, ONTARIO

Postal Code: L7L 5R6

Emergency Telephone: Canutec (613) 996-6666 (Collect)

Chemical Name: Oxone

Chemical Family:MonopersulphateChemical Formula:2KHS05 KHS04 K2S04Trade Name & Synonyms:Potassium Monopersulphate

Molecular Weight: Not applicable

Material Use: Pool Water Treatment Chemical

SECTION II HAZARDOUS INGREDIENTS				
Hazardous Ingredients	Approx Conc %	C.A.S. N.A. U.N. Number	LD 50 Specify Species & Route (Oral, RAT)	LC 50 Specify Species & Route (Inhal, RAT)
Potassium Peroxymono Sulphate	30-60	10058-23-8	Not available	Not available
Potassium Bisulphate	10-30	7646-93-7	Not available	Not available
Potassium Sulphate	15-40	7778-80-5	Not available	Not available
Magnesium Carbonate	1-5	546-93-0	Not available	Not available

SECTION III PHYSICAL DATA FOR MATERIAL

Physical State: Gas Liquid Solid X

Odour & Appearance: White, granular, opaque, odourless

Odour Threshold (Ppm): Not applicable

Specific Gravity: 1.1 to 1.4

Vapour Pressure (Mm):Not applicableVapour Density (Air-1):Not applicableEvaporation Rate:Not applicableBoiling Point (C):Not applicableFreezing Point (C):Decomposes

Solubility In Water (20c): 25.6% @ 20 deg C

% Volatile (By Volume) Not applicable

Ph: 2.30 (1% solution)

Coefficient Of Water/Oil Distribution: Not applicable

SECTION IV - FIRE & EXPLOSION HAZARD OF MATERIAL

Flammability: Yes No X

If Yes, Under Which Conditions?: Not applicable. NOTE: Grinding or intensive mixing may cause

ignition or oxidizable material present.

Means Of Extinction:Use media suitable to extinguish source of fire.

Special Procedures: Wear self-contained breathing apparatus when fire fighting.

Flashpoint (Celsius) And Method:

Autoignition Temperature (Celsius):

Lower Explosion Limit (% By Volume):

Upper Explosion Limit (% By Volume):

Hazardous Combustion Products:

Not applicable

Not applicable

EXPLOSION DATA

Sensitivity To Mechanical Impact: None Sensitivity To Static Discharge: None

SECTION V REACTIVITY DATA

Chemical Stability: Yes X No

If No, Under Which Conditions?: Not applicable

Incompatibility To Other Substances: Yes X No

If So, Which Ones:

This product is an oxidizer. When mixed with halides (chlorine,

bromine) or compounds containing halides, it will release the respective halogen gas. Examples: Mixture of this product and salt will emit chlorine gas. Mixture with cyanides can release hydrogen cyanide gas. Heavy metal salts such as cobalt, nickel and copper

cause the evolution of oxygen.

Reactivity And Under What Conditions: See above.

Hazardous Decomposition Products: Releases oxygen gas.

SECTION VI TOXICOLOGICAL PROPERTIES OF MATERIAL

Route Of Entry:

: Skin Contact X :Skin Absorption : Eye Contact X :Inhalation Acute :Inhalation Chronic : Ingestion X

EFFECTS OF ACUTE EXPOSURE TO MATERIAL

Skin: Skin contact may cause irritation and burns.

Eye: Eye contact may cause irritation and burns.

Inhalation: Will cause irritation of mucosal membrane and respiratory passages.

Ingestion: Gastritis possibility progressing to necrosis or haemorrhage.

Effects Of Chronic Exposure To Material: None known.

Other Health Effects: None known

Ld 50 Of Material (Specify Species And Routes): Oral Rat – 2000 mg/kg, Skin absorption Rabbit - > 11,000 mg/kg

Lc 50 Of Material (Specify Species And Routes): 4 hr inhalation Rat - > 5 mg/kg

Exposure (Limits): OSHA PEL particulates not otherwise classified: 15 mg/m3, 8 hr, TWA Total Dust;

5 mg/m3, 8 hr, TWA Respirable Dust.

Irritancy Of Material: Skin, eye, nose and throat.

Sensitization Of Material: None known. **Synergistic Materials:** None known.

Carcinogenicity, Mutagenicity, Reproductive Effects, Teratogenicity: None known.

SECTION VII

PREVENTATIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

Gloves (Specify): Latex or rubber gloves if skin contact is likely. Eye (Specify): Safety glasses/goggles if eye contact is likely.

NIOSH/MSHA air purifying respirator if prolonged use in non-ventilated area is Respiratory (Specify):

unavoidable.

Other (Specify): Impervious clothing if contact is likely.

Engineering Controls (e.g. Ventilation, Enclosed Process – Specify): Use in well ventilated area. Local

ventilation may be required to keep particulates below OSHA-PEL.

Leak And Spill Procedure: Sweep up and collect in a metal container. Flush residue with water. Large

quantities should be neutralized with soda ash.

Waste Disposal: Dispose material in accordance with federal, provincial and local government

regulations.

Handling Procedures Avoid contact with eyes, skin and clothing. Avoid breathing dust. Wash

And Equipment:t thoroughly after handling.

Store in cool, dry area. Do not mix directly with other chemicals. Do not store with Storage Requirements:

combustible materials.

Transportation: **Special Shipping Information:** Corrosive Solid Acidic- Inoreanic N.O.S. (Monopersulphate

Compound)

Class: 8

Pkg. Group: Ш

P.I.N./Un: 3260 1Kg and under Ltd Qty.

SECTION VIII

FIRST AID MEASURES

Skin: Wash thoroughly with soap and water. Flush with water for 15 minutes. Flush eyes with plenty of water for 15 minutes. Seek medical attention. Eye:

Inhalation: Remove person to fresh air. Give artificial respiration if required. Seek medical attention.

Ingestion: Drink large quantities of water and contact a physician.

SECTION IX PREPARATION DATE OF M.S.D.S.

Prepared By (Group, Department, Etc.): Plant Chemist Telephone: (905) 332-6626

Preparation Date: July 16, 1999
Date Of Latest Revision/Review: March, 30, 2014

Additional Notes Or References:

While Capo Industries Ltd. believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data are not to be taken as a warranty or representation for which Capo Industries Ltd. assumes legal responsibility. They are offered solely for your consideration and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, Provincial and local laws and regulations.