


IN ACCORDANCE WITH ANSI/APSP/ICC-5 2011, THE INSTALLER IS RESPONSIBLE FOR PLACING ONE SKIMMER FOR EVERY 800 SQUARE FEET OF SURFACE AREA AND ONE RETURN FOR EVERY 300 SQUARE FEET OF SURFACE AREA.



CERT# ESR-2782

Radius Panel Length: 0 FT 0 IN

Straight Panel Length: 100 FT 0 IN

LATHAM STEEL

RECTANGLE 6IN RAD 18-0 x 36-0

42" STEEL PANELS

PERIMETER: 108'-0" VOLUME (US Gal): 21300

DWG#:

SURFACE (ft²): 648 VOLUME (Liters): 80600

2026-SPL-19341

LINER (ft²): 648 DATE: 4/9/2026 DSR:

KIT#: CUSTOMKIT

COVER (ft²): 760 SCALE: 1/8" = 1'-0"



DIVING/SLIDING EQUIPMENT SHALL BE DESIGNED FOR SWIMMING POOLS AND SHALL BE INSTALLED IN ACCORDANCE WITH THE DIVING/SLIDING EQUIPMENT MANUFACTURER'S SPECIFICATIONS. PLEASE CONTACT THE DIVING/SLIDING EQUIPMENT MANUFACTURER FOR THEIR SPECIFICATIONS.

CUSTOMER: AQUIFORM EAST (BRANTFORD)

JOB NAME: PSC # 4 2

ALL ASPECTS OF THIS DRAWING COMPLIES WITH ANSI/APSP/ICC-5 2011 AND ISPSC EDITIONS 2018, 2021, & 2024

RECTANGLE

SHEET: 1 OF 2

